

Terminals Series

KLS8-01108 Pipe pre-insulation terminal Series


1. TEMPERATURE RANGE: -40°C UP TO +105°C
2. TERMINAL MATERIAL: COPPER TUBE
3. PLATING: ELECTRO TIN PLATED
4. INSULATION MATERIAL: NYLON And VINYL



WIRE RANGE mm2 (A. W. G.)	ITEM NO.	DIMENSION mm (inch)						FRENCH COLOR	DIN COLOR	GERMAN COLOR	Q' TY BOX
		W	F	L	D	B	C				
0.25 (26)	E0206	1.9 (.075)	6.0 (.236)	10.4 (.409)	1.1 (.043)	4.4 (.173)	0.8 (.032)	VIOLET		LIGHT BLUE	1000
	E0208	1.9 (.075)	8.0 (.315)	12.4 (.488)	1.1 (.043)	4.4 (.173)	0.8 (.032)	VIOLET		LIGHT BLUE	1000
0.34 (24)	E0306	1.9 (.075)	6.0 (.236)	10.4 (.409)	1.1 (.043)	4.4 (.173)	0.8 (.032)	PINK		TURQUOISE	1000
	E0308	1.9 (.075)	8.0 (.315)	12.4 (.488)	1.1 (.043)	4.4 (.173)	0.8 (.032)	PINK		TURQUOISE	1000
0.5 (22)	E0505	2.6 (.102)	5.0 (.196)	11.0 (.433)	1.3 (.051)	6.0 (.236)	1.0 (.039)	WHITE	WHITE	ORANGE	1000
	E0506	2.6 (.102)	6.0 (.236)	12.0 (.472)	1.3 (.051)	6.0 (.236)	1.0 (.039)	WHITE	WHITE	ORANGE	1000
	E0508	2.6 (.102)	8.0 (.315)	14.0 (.551)	1.3 (.051)	6.0 (.236)	1.0 (.039)	WHITE	WHITE	ORANGE	1000
	E0510	2.6 (.102)	10.0 (.394)	16.0 (.630)	1.3 (.051)	6.0 (.236)	1.0 (.039)	WHITE	WHITE	ORANGE	1000
	E0512	2.6 (.102)	12.0 (.472)	18.0 (.709)	1.3 (.051)	6.0 (.236)	1.0 (.039)	WHITE	WHITE	ORANGE	1000

ORDER INFORMATION

KLS8-01108 - E0206



All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

Terminals Series


KLS8-01108 Pipe pre-insulation terminal Series

VIII

WIRE RANGE mm ² (A. W. G.)	ITEM NO.	DIMENSION mm (inch)						FRENCH COLOR	DIN COLOR	GERMAN COLOR	Q' TY BOX
		W	F	L	D	B	C				
0.75 (20)	E7506	2.8 (.110)	6.0 (.236)	12.3 (.484)	1.5 (.059)	6.3 (.248)	1.2 (.047)	BLUE	GREY	WHITE	1000
	E7508	2.8 (.110)	8.0 (.315)	14.3 (.563)	1.5 (.059)	6.3 (.248)	1.2 (.047)	BLUE	GREY	WHITE	1000
	E7508-L	3.0 (.118)	8.0 (.315)	14.5 (.571)	1.5 (.059)	6.5 (.256)	1.2 (.047)	BLUE	GREY	WHITE	1000
	E7510	2.8 (.110)	10.0 (.394)	16.3 (.642)	1.5 (.059)	6.3 (.248)	1.2 (.047)	BLUE	GREY	WHITE	1000
	E7512	2.8 (.110)	12.0 (.472)	18.3 (.720)	1.5 (.059)	6.3 (.248)	1.2 (.047)	BLUE	GREY	WHITE	1000
	E7518	2.8 (.110)	18.0 (.709)	24.3 (.957)	1.5 (.059)	6.3 (.248)	1.2 (.047)	BLUE	GREY	WHITE	1000
1.0 (18)	E1006	3.0 (.118)	6.0 (.236)	12.3 (.484)	1.7 (.067)	6.3 (.248)	1.4 (.055)	RED	RED	YELLOW	1000
	E1008	3.0 (.118)	8.0 (.315)	14.3 (.563)	1.7 (.067)	6.3 (.248)	1.4 (.055)	RED	RED	YELLOW	1000
	E1008-L	3.3 (.130)	8.0 (.315)	14.5 (.571)	1.7 (.067)	6.5 (.256)	1.4 (.055)	RED	RED	YELLOW	1000
	E1010	3.0 (.118)	10.0 (.394)	16.3 (.642)	1.7 (.067)	6.3 (.248)	1.4 (.055)	RED	RED	YELLOW	1000
	E1012	3.0 (.118)	12.0 (.472)	18.3 (.720)	1.7 (.067)	6.3 (.248)	1.4 (.055)	RED	RED	YELLOW	1000
	E1012-L	3.3 (.130)	12.0 (.472)	18.5 (.728)	1.7 (.067)	6.5 (.256)	1.4 (.055)	RED	RED	YELLOW	1000
1.5 (16)	E1508	3.5 (.138)	8.0 (.315)	14.3 (.563)	2.0 (.079)	6.3 (.248)	1.7 (.067)	BLACK	BLACK	RED	1000
	E1508-L	3.8 (.150)	8.0 (.315)	14.5 (.571)	2.0 (.080)	6.5 (.256)	1.7 (.068)	BLACK	BLACK	RED	1000
	E1510	3.5 (.138)	10.0 (.394)	16.36 (.642)	2.0 (.081)	6.3 (.248)	1.7 (.069)	BLACK	BLACK	RED	1000
	E1512	3.5 (.138)	12.0 (.472)	18.3 (.720)	2.0 (.082)	6.3 (.248)	1.7 (.070)	BLACK	BLACK	RED	1000
	E1515	3.5 (.138)	15.0 (.591)	21.3 (.839)	2.0 (.083)	6.3 (.248)	1.7 (.071)	BLACK	BLACK	RED	1000
	E1518	3.5 (.138)	18.0 (.709)	24.3 (.957)	2.0 (.084)	6.3 (.248)	1.7 (.072)	BLACK	BLACK	RED	1000

ORDER INFORMATION

KLS8-01108 - E0206



Terminals Series


KLS8-01108 Pipe pre-insulation terminal Series

VIII

WIRE RANGE mm ² (A. W. G.)	ITEM NO.	DIMENSION mm (inch)						FRENCH COLOR	DIN COLOR	GERMAN COLOR	Q' TY BOX
		W	F	L	D	B	C				
2.5 (14)	E2508	4.0 (.157)	8.0 (.315)	15.4 (.606)	2.6 (.102)	7.4 (.291)	2.3 (.091)	GREY	BLUE	BLUE	1000
	E2510	4.0 (.157)	10.0 (.394)	17.4 (.685)	2.6 (.102)	7.4 (.291)	2.3 (.091)	GREY	BLUE	BLUE	1000
	E2512	4.0 (.157)	12.0 (.472)	19.4 (.764)	2.6 (.102)	7.4 (.291)	2.3 (.091)	GREY	BLUE	BLUE	1000
	E2518	4.0 (.157)	18.0 (.709)	25.4 (1.000)	2.6 (.102)	7.4 (.291)	2.3 (.091)	GREY	BLUE	BLUE	1000
	E2525	4.0 (.157)	25.0 (.984)	32.4 (1.276)	2.6 (.102)	7.4 (.291)	2.3 (.091)	GREY	BLUE	BLUE	1000
4.0 (12)	E4009	4.5 (.117)	9.0 (.354)	16.4 (.646)	3.2 (.126)	7.4 (.291)	2.8 (.110)	ORANGE	GREY	GREY	1000
	E4010	4.5 (.117)	10.0 (.394)	17.4 (.685)	3.2 (.126)	7.4 (.291)	2.8 (.110)	ORANGE	GREY	GREY	1000
	E4012	4.5 (.117)	12.0 (.472)	19.4 (.764)	3.2 (.126)	7.4 (.291)	2.8 (.110)	ORANGE	GREY	GREY	1000
	E4018	4.5 (.117)	18.0 (.709)	25.4 (1.000)	3.2 (.126)	7.4 (.291)	2.8 (.110)	ORANGE	GREY	GREY	1000
6.0 (10)	E6012	6.0 (.236)	12.0 (.472)	20.5 (.807)	3.9 (.154)	8.5 (.338)	3.5 (.138)	GREEN	YELLOW	BLACK	1000
	E6018	6.0 (.236)	18.0 (.709)	26.5 (1.403)	3.9 (.154)	8.5 (.338)	3.5 (.138)	GREEN	YELLOW	BLACK	1000
10 (8)	E10-12	7.5 (.295)	12.0 (.472)	20.8 (.819)	4.9 (.193)	8.8 (.346)	4.5 (.177)	GREEN	YELLOW	BLACK	1000
	E10-18	7.5 (.295)	18.0 (.709)	26.8 (1.055)	4.9 (.193)	8.8 (.346)	4.5 (.177)	GREEN	YELLOW	BLACK	1000
16 (6)	E16-12	8.7 (.343)	12.0 (.472)	22.0 (.866)	6.2 (.244)	10.0 (.394)	5.8 (.228)	GREEN	YELLOW	BLACK	500
	E16-18	8.7 (.343)	18.0 (.709)	28.0 (1.102)	6.2 (.244)	10.0 (.394)	5.8 (.228)	GREEN	YELLOW	BLACK	500
25 (4)	E25-12	11.0 (.433)	12.0 (.472)	24.0 (.945)	7.9 (.311)	12.0 (.472)	7.5 (.295)	BLACK	YELLOW	BROWN	250
	E25-15	11.0 (.433)	15.0 (.591)	27.0 (1.063)	7.9 (.311)	12.0 (.472)	7.5 (.295)	BLACK	YELLOW	BROWN	250
	E25-16	11.0 (.433)	16.0 (.630)	28.0 (1.102)	7.9 (.311)	12.0 (.472)	7.5 (.295)	BLACK	YELLOW	BROWN	250
	E25-18	11.0 (.433)	18.0 (.709)	30.0 (1.181)	7.9 (.311)	12.0 (.472)	7.5 (.295)	BLACK	YELLOW	BROWN	250
	E25-22	11.0 (.433)	22.0 (.886)	34.0 (1.339)	7.9 (.311)	12.0 (.472)	7.5 (.295)	BLACK	YELLOW	BROWN	250

ORDER INFORMATION

KLS8-01108 - E0206



All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

Terminals Series

KLS8-01108 Pipe pre-insulation terminal Series

VIII

WIRE RANGE mm ² (A. W. G.)	ITEM NO.	DIMENSION mm (inch)						FRENCH COLOR	DIN COLOR	GERMAN COLOR	Q' TY BOX
		W	F	L	D	B	C				
35 (2)	E35-16	12.5 (.492)	16.0 (.630)	30.0 (1.181)	8.7 (.343)	14.0 (.551)	8.3 (.327)	RED	RED	BEIGE	250
	E35-18	12.5 (.492)	18.0 (.709)	32.0 (1.260)	8.7 (.343)	14.0 (.551)	8.3 (.327)	RED	RED	BEIGE	250
	E35-22	12.5 (.492)	22.0 (.886)	36.0 (1.147)	8.7 (.343)	14.0 (.551)	8.3 (.327)	RED	RED	BEIGE	250
	E35-25	12.5 (.492)	25.0 (.984)	39.0 (1.535)	8.7 (.343)	14.0 (.551)	8.3 (.327)	RED	RED	BEIGE	250
50 (1/0)	E50-12	15.0 (.591)	12.0 (.472)	28.0 (1.102)	10.9 (.429)	16.0 (.630)	10.3 (.406)	BLUE	BLUE	OLIVE	250
	E50-20	15.0 (.591)	20.0 (.787)	36.0 (1.147)	10.9 (.429)	16.0 (.630)	10.3 (.406)	BLUE	BLUE	OLIVE	250
	E50-25	15.0 (.591)	25.0 (.984)	41.0 (1.614)	10.9 (.429)	16.0 (.630)	10.3 (.406)	BLUE	BLUE	OLIVE	250
70 (2/0)	E70-20	16.0 (.630)	20.0 (.787)	37.0 (1.457)	14.3 (.563)	17.0 (.669)	13.5 (.531)	YELLOW	YELLOW	YELLOW	100
	E70-25	16.0 (.630)	25.0 (.984)	42.0 (1.654)	14.3 (.563)	17.0 (.669)	13.5 (.531)	YELLOW	YELLOW	YELLOW	100
	E70-27	16.0 (.630)	27.0 (1.063)	44.0 (1.732)	14.3 (.563)	17.0 (.669)	13.5 (.531)	YELLOW	YELLOW	YELLOW	100
95 (3/0)	E95-25	18.5 (.728)	25.0 (.984)	44.0 (1.732)	15.6 (.614)	19.0 (.748)	14.8 (.583)	RED	RED	RED	100
120 (4/0)	E120-27	20.3 (.799)	27.0 (1.063)	47.6 (1.874)	17.7 (.697)	20.6 (.811)	16.7 (.657)	BLUE	BLUE	BLUE	50
	E120-32	20.3 (.799)	32.0 (1.260)	52.6 (2.071)	17.7 (.697)	20.6 (.811)	16.7 (.657)	BLUE	BLUE	BLUE	50
150 (250/300MCM)	E150-25	23.4 (.921)	25.0 (.984)	50.6 (1.992)	20.6 (.811)	25.6 (1.008)	19.6 (.772)	YELLOW	YELLOW	YELLOW	50
	E150-27	23.4 (.921)	27.0 (1.063)	52.6 (2.071)	20.6 (.811)	25.6 (1.008)	19.6 (.772)	YELLOW	YELLOW	YELLOW	50
	E150-32	23.4 (.921)	32.0 (1.260)	57.6 (2.268)	20.6 (.811)	25.6 (1.008)	19.6 (.772)	YELLOW	YELLOW	YELLOW	50

ORDER INFORMATION

KLS8-01108 - E0206

